

# Levels of different poly- and perfluorinated compounds in the Greenland Killer Whale



by Annichen Prebensen and Dina Kristiansen



(North Sailing, 2021)



# Results



- Metabolism
- EOF in blubber

# References

Boronow, K.E. *et al.* (2019) “Serum concentrations of PFASs and exposure-related behaviors in African American and non-Hispanic white women,” *Journal of Exposure Science & Environmental Epidemiology* 2019 29:2, 29(2), pp. 206–217. doi:10.1038/s41370-018-0109-y.

Folkehelseinstituttet (2018) “*Strukturformel for PFOA*” [image]. Available at: <<https://www.fhi.no/ml/miljo/miljogifter/fakta/fakta-om-pfos-og-pfoa/>> [Accessed 22 November 2021].

Kim, S., Thapar, I. and Brooks, B.W. (2021) “Epigenetic changes by per- and polyfluoroalkyl substances (PFAS),” *Environmental pollution (Barking, Essex : 1987)*, 279. doi:10.1016/J.ENVPOL.2021.116929.

Krafft, M.P. and Riess, J.G. (2015) “Per- and polyfluorinated substances (PFASs): Environmental challenges,” *Current Opinion in Colloid & Interface Science*, 20(3), pp. 192–212. doi:10.1016/J.COCIS.2015.07.004.

North sailing (2021) “Killer Whale (Orca)” [image]. Available at: “<https://www.northsailing.is/whales-and-birds/whales-of-skjalfandi-bay/killer-whale-orca/>” [Accessed 22 November 2021].

Schultes, L. *et al.* (2020) “High Concentrations of Unidentified Extractable Organofluorine Observed in Blubber from a Greenland Killer Whale (*Orcinus orca*),” *Environmental Science & Technology Letters*, 7(12), pp. 909–915. doi:10.1021/ACS.ESTLETT.0C00661.